

| | | | |
|---|--|---------------------------------------|-------------------------------------|
| Substitute Form PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 17023-019001 | Application No. 10/694,520 |
| Information Disclosure Statement by Applicant (Use several sheets if necessary) | | Applicant Gail Bishop et al. | |
| | | Filing Date October 27, 2003 | Group Art Unit 1632 LAURA McGILL |

| U.S. Patent Documents | | | | | | | |
|-----------------------|-----------|-----------------|------------------|-------------------|-------|----------|----------------------------|
| Examiner Initial | Desig. ID | Document Number | Publication Date | Patentee | Class | Subclass | Filing Date If Appropriate |
| SPH | AA | 4,959,317 | 09/25/90 | Sauer | | | |
| SPH | AB | 5,814,300 | 09/29/98 | Scott et al. | | | |
| DM | AC | 6,077,667 | 06/20/00 | Bradley et al. | | | |
| SPH | AD | 6,413,777 | 07/02/02 | Reff et al. | | | |
| SPH | AE | 2002/0194628 | 12/19/02 | Weisgraber et al. | | | |

| Foreign Patent Documents or Published Foreign Patent Applications | | | | | | | | |
|---|-----------|-----------------|------------------|--------------------------|-------|----------|-------------|----|
| Examiner Initial | Desig. ID | Document Number | Publication Date | Country or Patent Office | Class | Subclass | Translation | |
| | | | | | | | Yes | No |
| | AF | | | | | | | |

| Other Documents (include Author, Title, Date, and Place of Publication) | | |
|---|-----------|---|
| Examiner Initial | Desig. ID | Document |
| SPH | AG | Ahonen et al., "The CD40-TRAF6 axis controls affinity maturation and the generation of long-lived plasma cells," <u>Nat. Immunol.</u> , 2002, 3:451-456 |
| SPH | AH | Arbones et al., "Gene targeting in normal somatic cells: inactivation of the interferon- γ receptor in myoblasts," <u>Nat. Genet.</u> , 1994, 6:90-97 |
| SPH | AI | Baniyash and Eshhar, "Inhibition of IgE binding to mast cells and basophils by monoclonal antibodies to murine IgE," <u>Eur. J. Immunol.</u> , 1984, 14:799-807 |
| SPH | AJ | Bennett et al., "Help for cytotoxic-T-cell responses is mediated by CD40 signalling," <u>Nature</u> , 1998, 393:478-480 |
| SPH | AK | Bishop and Houghton, "Induced differentiation of a transformed clone of Ly-1 ⁺ B cells by clonal T cells and antigen," <u>Proc. Natl. Acad. Sci. USA</u> , 1986, 83:7410-7414 |
| SPH | AL | Bishop et al., "Signaling via major histocompatibility complex class II molecules and antigen receptors enhances the B cell response to gp39/CD40 ligand," <u>Eur. J. Immunol.</u> , 1995, 25:1230-1238 |
| SPH | AM | Bishop, "Requirements of Class II-Mediated B Cell Differentiation for Class II Cross-Linking and Cyclic Amp," <u>J. Immunol.</u> , 1991, 147:1107-1114 |
| SPH | AN | Brown et al., "Bypass of Senescence After Disruption of p21 ^{CIP1/WAF1} Gene in Normal Diploid Human Fibroblasts," <u>Science</u> , 1997, 277:831-834 |
| SPH | AO | Brown et al., "Regulation of TRAF2 Signaling by Self-induced Degradation," <u>J. Biol. Chem.</u> , 2002, 277:19433-19438 |
| SPH | AP | Busch and Bishop, "Multiple Carboxyl-Terminal Regions of the EBV Oncoprotein, Latent Membrane Protein 1, Cooperatively Regulate Signaling to B Lymphocytes Via TNF Receptor-Associated Factor (TRAF)-Dependent and TRAF-Independent Mechanisms," <u>J. Immunol.</u> , 2001, 167:5805-5813 |
| SPH | AQ | Busch and Bishop, "The EBV Transforming Protein, Latent Membrane Protein 1, Mimics and Cooperates with CD40 Signaling in B Lymphocytes," <u>J. Immunol.</u> , 1999, 162:2555-2561 |

| | |
|--|---------------------------|
| Examiner Signature <i>Laura McGill</i> | Date Considered 8/1/05 |
| EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | | |
|---|--|---------------------------------------|-------------------------------------|
| Substitute Form PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 17023-019001 | Application No. 10/694,520 |
| Information Disclosure Statement by Applicant (Use several sheets if necessary) | | Applicant Gail Bishop et al. | |
| | | Filing Date October 27, 2003 | Group Art Unit 1632 LAURA McGILL |

(37 CFR §1.98(b))

1636

Other Documents (include Author, Title, Date, and Place of Publication)

| Examiner Initial | Desig. ID | Document |
|------------------|-----------|--|
| LJA | AR | Foy et al., "Immune Regulation by CD40 and its Ligand GP39," <u>Annu. Rev. Immunol.</u> , 1996, 14:591-617 |
| LJM | AS | Hamano et al., "Establishment of B Cell Hybridomas with B Cell Surface Antigens," <u>J. Immunol.</u> , 1982, 129:1403-1406 |
| LJM | AT | Hanson and Sedivy, "Analysis of Biological Selections for High-Efficiency Gene Targeting," <u>Mol. Cell Biol.</u> , 1995, 15:45-51 |
| LJM | AU | Haxhinasto et al., "Cutting Edge: Molecular Mechanisms of Synergy Between CD40 and the B Cell Antigen Receptor: Role for TNF Receptor-Associated Factor 2 in Receptor Interaction," <u>J. Immunol.</u> , 2002, 169:1145-1149 |
| LJM | AV | Heath et al., "Monoclonal antibodies to murine CD40 define two distinct functional epitopes," <u>Eur. J. Immunol.</u> , 1994, 24:1828-1834 |
| LJM | AW | Hernan et al., "Multiple Epitope Tagging of Expressed Proteins for Enhanced Detection," <u>BioTechniques</u> , 2000, 28:789-793 |
| LJM | AX | Hostager and Bishop, "Cutting Edge: Contrasting Roles of TNF Receptor-Associated Factor 2 (TRAF2) and TRAF3 in CD40-Activated B Lymphocyte Differentiation," <u>J. Immunol.</u> , 1999, 162:6307-6311 |
| LJA | AY | Hostager and Bishop, "Role of TNF Receptor-Associated Factor 2 in the Activation of IgM Secretion by CD40 and CD120b," <u>J. Immunol.</u> , 2002, 168:3318-3322 |
| LJA | AZ | Hostager et al., "Recruitment of CD40 and Tumor Necrosis Factor Receptor-associated Factors 2 and 3 to Membrane Microdomains during CD40 Signaling," <u>J. Biol. Chem.</u> , 2000, 275:15392-15398 |
| LJM | AAA | Hostager et al., "Different CD40-Mediated Signaling Events Require Distinct CD40 Structural Features," <u>J. Immunol.</u> , 1996, 157:1047-1053 |
| LJM | ABB | Hsing and Bishop, "Requirement for Nuclear Factor- κ B Activation by a Distinct Subset of CD40-Mediated Effector Functions in B Lymphocytes," <u>J. Immunol.</u> , 1999, 162:2804-2811 |
| LJM | ACC | Hsing et al., "Characterization of CD40 Signaling Determinants Regulating Nuclear Factor- κ B Activation in B Lymphocytes," <u>J. Immunol.</u> , 1997, 159:4898-4906 |
| LJM | ADD | Hu et al., "A Novel RING Finger Protein Interacts with the Cytoplasmic Domain of CD40," <u>J. Biol. Chem.</u> , 1994, 269:30069-30072 |
| LJM | AEE | Ishida et al., "Identification of TRAF6, a Novel Tumor Necrosis Factor Receptor-associated Factor Protein That Mediates Signaling from an Amino-terminal Domain of the CD40 Cytoplasmic Region," <u>J. Biol. Chem.</u> , 1996, 271:28745-28748 |
| LJM | AFF | Jabara et al., "The Binding Site for TRAF2 and TRAF3 but Not for TRAF6 Is Essential for CD40-Mediated Immunoglobulin Class Switching," <u>Immunity</u> , 2002, 17:265-276 |
| LJM | AGG | Jalukar et al., "Characterization of the Roles of TNF Receptor-Associated Factor 6 in CD40-Mediated B Lymphocyte Effector Functions," <u>J. Immunol.</u> , 2000, 164:623-630 |
| LJM | AHH | Kim et al., "Establishment and Characterization of BALB/c Lymphoma Lines with B Cell Properties," <u>J. Immunol.</u> , 1979, 122:549-554 |
| LJM | AII | Lee et al., "TRAF2 Is Essential for JNK but Not NF- κ B Activation and Regulates Lymphocyte Proliferation and Survival," <u>Immunity</u> , 1997, 7:703-713 |
| LJM | AJJ | Liu et al., "Dissection of TNF Receptor 1 Effector Functions: JNK Activation Is Not Linked to Apoptosis While NF- κ B Activation Prevents Cell Death," <u>Cell</u> , 1996, 87:565-576 |
| LJM | AKK | Lomaga et al., "TRAF6 deficiency results in osteopetrosis and defective interleukin-1, CD40, and LPS signaling," <u>Genes & Development</u> , 1999, 13:1015-1024 |

| | |
|--|---------------------------|
| Examiner Signature <i>Laura Nozella</i> | Date Considered 8/1/05 |
| EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | | |
|--|--|---------------------------------------|------------------------------------|
| Substitute Form PTO-1449 (Modified) | U.S. Department of Commerce Patent and Trademark Office | Attorney's Docket No. 17023-019001 | Application No. 10/694,520 |
| Information Disclosure Statement by Applicant (Use several sheets if necessary) (37 CFR §1.98(b)) | | Applicant Gail Bishop et al. | |
| | | Filing Date October 27, 2003 | Group Art Unit 1632 LAURAMC6114 |

Other Documents (include Author, Title, Date, and Place of Publication)

| Examiner Initial | Desig. ID | Document |
|------------------|-----------|---|
| <i>SPM</i> | ALL | Long et al., "Efficient cDNA Expression Vectors for Stable and Transient Expression of HLA-DR in Transfected Fibroblast and Lymphoid Cells," <u>Hum. Immunol.</u> , 1991, 31:229-235 |
| <i>SPM</i> | AMM | Lyznik et al., "Activity of yeast FLP recombinase in maize and rice protoplasts," <u>Nucleic Acids Res.</u> , 1993, 21(4):969-975 |
| <i>SPM</i> | ANN | Manning et al., "Cellular responses to murine CD40 in a mouse B cell line may be TRAF dependent or independent," <u>Eur. J. Immunol.</u> , 2002, 32:39-49 |
| <i>SPM</i> | AOO | Nguyen et al., "TRAF2 Deficiency Results in Hyperactivity of Certain TNFR1 Signals and Impairment of CD40-Mediated Responses," <u>Immunity</u> , 1999, 11:379-389 |
| <i>SPM</i> | APP | Rothe et al., "TRAF2-Mediated Activation of NF- κ B by TNF Receptor 2 and CD40," <u>Science</u> , 1995, 269:1424-1427 |
| <i>SPM</i> | AQQ | Sauer and Henderson, "Cre-stimulated recombination at <i>loxP</i> -containing DNA sequences placed into the mammalian genome," <u>Nucleic Acids Research</u> , 1989, 17:147-161 |
| <i>SPM</i> | ARR | Sauer, "Manipulation of Transgenes by Site-Specific Recombination: Use of Cre Recombinase," <u>Methods Enzymol.</u> , 1993, 225:890-900 |
| <i>SPM</i> | ASS | Schoenberger et al., "T-cell help for cytotoxic T lymphocytes is mediated by CD40-CD40L interactions," <u>Nature</u> , 1998, 393:480-483 |
| <i>SPM</i> | ATT | Sedivy and Dutriaux, "Gene targeting and somatic cell genetics: a rebirth or coming of age?" <u>Trends in Genetics</u> , 1999, 15:88-90 |
| <i>SPM</i> | AUU | Stout and Suttles, "The many roles of CD40 in cell-mediated inflammatory responses," <u>Immunology Today</u> , 1996, 17:487-492 |
| <i>SPM</i> | AVV | Takeuchi et al., "Anatomy of TRAF2, Distinct Domains for Nuclear Factor- κ B Activation and Association with Tumor Necrosis Factor Signaling Proteins," <u>J. Biol. Chem.</u> , 1996, 271:19935-19942 |
| <i>SPM</i> | AWW | te Riele et al., "Consecutive inactivation of both alleles of the <i>pim-1</i> proto-oncogene by homologous recombination in embryonic stem cells," <u>Nature</u> , 1990, 348:649-651 |
| <i>SPM</i> | AXX | Turner and Foster, "The Potential Exploitation of Plant Viral Translational Enhancers in Biotechnology for Increased Gene Expression," <u>Mol. Biotech.</u> , 1995, 3:225-234 |
| <i>SPM</i> | AYY | Yanagawa et al., "Enrichment and efficient screening of ES cells containing a targeted mutation: the use of DT-A gene with the polyadenylation signal as a negative selection marker," <u>Transgenic Research</u> , 1999, 8:215-221 |
| <i>SPM</i> | AZZ | Yeh et al., "Early Lethality, Functional NF- κ B Activation, and Increased Sensitivity to TNF-Induced Cell Death in TRAF2-Deficient Mice," <u>Immunity</u> , 1997, 7:715-725 |

| | |
|--|---------------------------|
| Examiner Signature <i>Rene W. Sells</i> | Date Considered 8/1/05 |
| EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |